



Internal Hexagon
Product Catalog, 2023

Internal Hexagon
Product Catalog

TABLE OF CONTENTS



IMPLANT SYSTEMS

4 - 25.

SEVEN XD Implant	6
M4 Implant	16



TOOLS AND KITS

26 - 63.

Step Pilot Drills, External Irrigation	28
SEVEN Twist Drills, External Irrigation	30
M4 Twist Drills, External Irrigation	31
SEVEN & M4 Short Twist Drills	32
Marking Drills and Countersinks	34
Trephine Burrs	36
Insertion Tools	37
Surgical Tools	38
Prosthetic Instruments	40
SEVEN XD Placement Set	43
SEVEN Surgical Kit	45
SEVEN Drill Replacement Kit	49
M4 Surgical Kit	50
MULTIFIX Drilling Set for 18 & 20mm Implants	53
SEVEN Drill Stoppers Kit, Standard Platform	54
SEVEN Drill Stopper Kits, Depth Based	55
Bone Profiler Kit	56
Bone Compression Kit	57
Prosthetic Tools Kit	59
Abutment Holding System Kit	62



PROSTHETIC OPTIONS

64 - 91.

Analogs and Impression Copings	66
Temporary Cylinders	68
Multi-Unit System	70
Plastic Cylinders	73
Ti-Bases	75
Scan Post Kit	76
Digital Model Analogs	77
Cementable Abutments	78
Cementing Posts	81
CPK - Complete Prosthetic Kit	83
LOCKiT Attachment System	85
OT-Equator Kits	88
Ball Attachment System	90



ADDITIONAL INFORMATION

104- 112.

XD Drills	106
Pilot Drills, External Irrigation	108
SEVEN Twist Drills, External Irrigation	109
M4 Twist Drills, External Irrigation	110
SEVEN & M4 Short Twist Drills, External Irrigation	111
Alloy Composition	112



INDEX

114 - 124



MGUIDE

92-109.

MGUIDE Custom Surgical Template	94
MGUIDE SEVEN Surgical Set	95
MGUIDE Drill Replacement Kit	99
MGUIDE SEVEN Surgical Set, Narrow Sleeve	100
MGUIDE Drill Replacement Kit, Narrow Sleeve	103




IMPLANT SYSTEMS

MIS proudly offers an extensive range of implant systems, providing simple solutions for a wide variety of clinical scenarios, from basic to complex. Our implants are the outcome of an exceptionally high-level R&D process resulting in implant systems that are simple, yet offer enhanced functionality and performance features.


The surface roughness and micro-morphology of MIS implants are a result of sandblasting and acid-etching. It has been documented to be highly osseo-conductive in type IV bone. The MIS surface technology has been acclaimed for its high cleanliness, making it one of the most outstanding surfaces on the market.













Implant Systems

SEVEN XD Implant
Internal Hex.
Ø3.30 NP



Implant Cover Screw and Healing Caps:

Thin		Standard		Anatomic	
Ø4mm		Ø4mm	CONCAVE	Ø4.3mm	
2/3/4/6/8mm		4/5/6mm		2/3/4/5/6mm	
	MH-N2330 MH-N3330 MH-N4330 MH-N6330 MH-N8330		MH-N0440 MH-N0540 MH-N0640		MH-52330 MH-53330 MH-54330 MH-55330 MH-56330
					Cover screw


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D10330	Ø3.30 L=10	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11330	Ø3.30 L=11.5	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13330	Ø3.30 L=13	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16330	Ø3.30 L=16	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills

L = Length

Ø3.30mm Drilling Protocol


		BONE TYPE		
		Soft 3 and 4	Hard 1 and 2	
Drilling Speed (RPM)	1200-1500	900-1200	200-400	15-25
Diameter	Ø1.90	2.40-2.80	Ø3.25	Ø3.30

OR




Bone level

i Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.














Implant Systems

SEVEN XD Implant
Internal Hex.
Ø3.75 SP




Implant Cover Screw and Healing Caps:

Thin	Standard	Standard	Anatomic	
 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm</p> <p>CONCAVE</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Cover screw</p>
MH-03375 MH-04375 MH-05375 MH-06375	MH-A3375 MH-A4375 MH-A5375 MH-A6375	MH-S0448 MH-S0548 MH-S0648	MH-53375 MH-54375 MH-55375 MH-56375	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D08375	Ø3.75 L=8	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D10375	Ø3.75 L=10	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11375	Ø3.75 L=11.5	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13375	Ø3.75 L=13	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16375	Ø3.75 L=16	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-18375*	Ø3.75 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-20375*	Ø3.75 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length * 18 and 20mm SEVEN implants are not supplied with XD drills.

Ø3.75mm Drilling Protocol




Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.

















Implant Systems

SEVEN XD Implant
Internal Hex.
Ø4.20 SP




Implant Cover Screw and Healing Caps:


Thin	Standard	Standard	Anatomic	
 Ø4mm 3/4/5/6mm	 Ø4.8mm 3/4/5/6mm	 Ø4.8mm 4/5/6mm 	 Ø5.5mm 3/4/5/6mm	 Cover screw
MH-03375 MH-04375 MH-05375 MH-06375	MHA3375 MHA4375 MHA5375 MHA6375	MH-S0448 MH-S0548 MH-S0648	MH-53375 MH-54375 MH-55375 MH-56375	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D06420	Ø4.20 L=6	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D08420	Ø4.20 L=8	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D10420	Ø4.20 L=10	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11420	Ø4.20 L=11.5	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13420	Ø4.20 L=13	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16420	Ø4.20 L=16	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-18420*	Ø4.20 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-20420*	Ø4.20 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length * 18 and 20mm SEVEN implants are not supplied with XD drills.

Ø4.20mm Drilling Protocol




 Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant Systems

SEVEN XD Implant
Internal Hex.
Ø5 WP




Implant Cover Screw and Healing Caps:

<p>Standard</p>  <p>Ø5mm 3/4/5mm</p> <p>MH-W3500 MH-W4500 MH-W5500</p>	<p>Standard</p>  <p>Ø5.5mm 4/5/6mm</p> <p>CONCAVE</p> <p>MH-W0455 MH-W0555 MH-W0655</p>	<p>Anatomic</p>  <p>Ø6.5mm 3/4/5mm</p> <p>MH-W3630 MH-W4630 MH-W5630</p>	 <p>Cover screw</p>
---	--	---	--




Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D06500	Ø5 L=6	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D08500	Ø5 L=8	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D10500	Ø5 L=10	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11500	Ø5 L=11.5	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13500	Ø5 L=13	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16500	Ø5 L=16	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills

L = Length



Ø5mm Drilling Protocol





i * For implants length 8mm, drill to a depth of 4mm. For implants length 10mm and longer, drill to a depth of 6mm. Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Cover Screw
and Healing Caps:




Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-06600	Ø6 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08600	Ø6 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10600	Ø6 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11600	Ø6 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13600	Ø6 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length


* SEVEN 6mm implants are not available with XD drills.

Ø6mm Drilling Protocol

Drilling Speed (RPM)										BONE TYPE		
	1200-1500	900-1200		500-700	400-700	400-600	300-500	300-500		Soft 3 and 4	Hard 1 and 2	
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4.50	Ø5	Ø5	Ø5.30 Ø5.90 Final drill	Ø6 Countersink	Ø6




i For SEVEN Ø6mm implants, use the SEVEN surgical kit (MK-T048).
 Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant.
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.









Implant Systems

M4 Implant
Internal Hex.
Ø3.30 NP




Implant Cover Screw and Healing Caps:


Thin		Standard		Anatomic	
Ø4mm		Ø4mm	CONCAVE	Ø4.3mm	
2/3/4/6/8mm		4/5/6mm		2/3/4/5/6mm	
	MH-N2330 MH-N3330 MH-N4330 MH-N6330 MH-N8330		MH-N0440 MH-N0540 MH-N0640		MH-52330 MH-53330 MH-54330 MH-55330 MH-56330
					 Cover screw


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-10330	Ø3.30 L=10	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11330	Ø3.30 L=11.5	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13330	Ø3.30 L=13	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16330	Ø3.30 L=16	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø3.30mm Drilling Protocol





 The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.













Implant Systems

M4 Implant
Internal Hex.
Ø3.75 SP



Implant Cover Screw and Healing Caps:


Thin	Standard	Standard	Anatomic	
 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm</p> <p>CONCAVE</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Cover screw</p>
<p>MH-03375 MH-04375 MH-05375 MH-06375</p>	<p>MH-A3375 MH-A4375 MH-A5375 MH-A6375</p>	<p>MH-S0448 MH-S0548 MH-S0648</p>	<p>MH-53375 MH-54375 MH-55375 MH-56375</p>	

Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-08375	Ø3.75 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10375	Ø3.75 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11375	Ø3.75 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13375	Ø3.75 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16375	Ø3.75 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw





L = Length

Ø3.75mm Drilling Protocol

Drilling Speed (RPM)	BONE TYPE					
	1200-1500	900-1200	500-700	Hard 1 and 2 400-700	Soft 3 and 4 200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.75 Countersink	Ø3.75




i The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06420	Ø4.20 L=6	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08420	Ø4.20 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10420	Ø4.20 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11420	Ø4.20 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13420	Ø4.20 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16420	Ø4.20 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø4.20mm Drilling Protocol





 The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.













Implant Systems

M4 Implant
Internal Hex.
Ø5 WP




Implant Cover Screw and Healing Caps:

<p>Standard</p>  <p>Ø5mm 3/4/5mm</p> <p>MH-W3500 MH-W4500 MH-W5500</p>	<p>Standard</p>  <p>Ø5.5mm 4/5/6mm CONCAVE</p> <p>MH-W0455 MH-W0555 MH-W0655</p>	<p>Anatomic</p>  <p>Ø6.5mm 3/4/5mm</p> <p>MH-W3630 MH-W4630 MH-W5630</p>	 <p>Cover screw</p>
---	---	--	--


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06500	Ø5 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08500	Ø5 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10500	Ø5 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11500	Ø5 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13500	Ø5 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16500	Ø5 L=16	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø5mm Drilling Protocol





 The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.












Implant Systems

M4 Implant
Internal Hex.
Ø6 WP




Implant Cover Screw and Healing Caps:

<p>Standard</p>  <p>MH-W3500 MH-W4500 MH-W5500</p>	<p>Standard</p>  <p>MH-W0455 MH-W0555 MH-W0655</p>	<p>Anatomic</p>  <p>MH-W3630 MH-W4630 MH-W5630</p>	 <p>Cover screw</p>
---	---	--	--

Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06600	Ø6 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08600	Ø6 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10600	Ø6 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11600	Ø6 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13600	Ø6 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø6mm Drilling Protocol



i The drilling sequence is illustrated using a 13mm implant.
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



TOOLS AND KITS

MIS offers a wide range of surgical instruments and innovative tools to assure smooth and accurate surgical procedures. The range incorporates a wide variety of drills, body try-ins, keys, ratchets and insertion tools.

MIS Surgical Kits bring all the RIGHT tools for each and every Drilling Protocol you may need into convenient, accurate and quality packages, making every job simple, and every surgery as safe and comfortable for the patient as possible. All kits feature an ergonomical kit design, for easy, single-handed opening.

MIS Prosthetic Kits, and all of the complementary products included, help to ensure the final results by way of providing solutions for patient requirements, both functional and esthetic.








Tools and Kits

Step Pilot Drills, External Irrigation




Cat. No	Dimensions (mm)	Description	Material	Sold
CT-P2406	Ø2.4/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	INSIDE KIT STAND ALONE

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
 CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
 CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 

L = Length

6 Depth Marks




















Tools and Kits

SEVEN Twist Drills, External Irrigation



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 













L = Length



Tools and Kits

M4 Twist Drills, External Irrigation



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 









L = Length









Tools and Kits

SEVEN and M4 Short Twist Drills, External Irrigation




Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDI28	Ø2.80 L=30	Short twist drill	Stainless steel	
 MT-TDI32	Ø3.20 L=30	Short twist drill	Stainless steel	
 MT-TDI38	Ø3.80 L=30	Short twist drill	Stainless steel	
 MT-TDI40	Ø4.0 L=30	Short twist drill	Stainless steel	

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDI45	Ø4.50 L=30	Short twist drill	Stainless steel	
 MT-TDI50	Ø5.0 L=30	Short twist drill	Stainless steel	
 MT-TDI55	Ø5.50 L=30	Short twist drill	Stainless steel	

L = Length

7 Drilling Diameter Options
















Tools and Kits

Marking Drills and Countersinks



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
	MT-TD110	Ø1.90 L=34	Marking drill, internal irrigation	Stainless steel	
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	 


L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-CS330	Ø3.30 L=25	Countersink for Ø3.30 implant, narrow platform	Stainless steel	INSIDE KIT STAND ALONE
MT-CS375	Ø3.75 L=25	Countersink for Ø3.75 implant, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MT-CS420	Ø4.20 L=25	Countersink for Ø4.20 implant, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MT-CS500	Ø5 L=25	Countersink for Ø5 implant, wide platform	Stainless steel	INSIDE KIT STAND ALONE
MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	INSIDE KIT STAND ALONE
MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	INSIDE KIT STAND ALONE


L = Length





5 Countersinks Depth Marks



Narrow Platform



Standard Platform









Wide Platform



Tools and Kits

Trepine Burrs



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-00400	$\text{Ø}4/5$ $L=37$	Trepine burr	Stainless steel	
 MT-00500	$\text{Ø}5/6$ $L=37$	Trepine burr	Stainless steel	
 MT-00600	$\text{Ø}6/7$ $L=37$	Trepine burr	Stainless steel	





L = Length



Tools and Kits

Insertion Tools



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HSI21	L=24.4	Short motor insertion tool, internal hex., narrow platform	Stainless steel	
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-SRH21	L=22.3	Short ratchet insertion tool, internal hex., narrow platform	Stainless steel	
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 

L = Length





Tools and Kits

Surgical Tools



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-BTI20	Ø1.40 L=100	Implant site depth probe	Stainless steel	INSIDE KIT STAND ALONE
MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	STAND ALONE
MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	INSIDE KIT STAND ALONE

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
 MT-SRA10	L=15.5	Square connection to ratchet adapter	Stainless steel	
 MT-TP500	Ø4.50 L=28	Tissue punch	Stainless steel	
 MT-RT070	L=95	Surgical torque ratchet		 
 MT-RI030	L=84	Monoblock ratchet		 
 MT-RA480	L=7.5	Ratchet to hex. adapter	Stainless steel	
 MT-MFXGS		MULTIFIX guide strip	Stainless steel	

L = Length



Tools and Kits

Prosthetic Instruments



Cat. No

MT-IT100

Dimensions (mm)

L=16.5

Description

Impression coping key for closed tray

Material

Stainless steel

Sold

STAND
ALONE

MT-LM005

L=30

Long motor adapter for 0.05 inch hex.

Stainless steel

INSIDE
KIT STAND
ALONE

MT-SM005
































L=24

Short motor adapter for 0.05 inch hex.

Stainless steel

STAND
ALONE

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
 MT-HTS10	L=142.5	Technical hex. screwdriver	Stainless steel + plastic	 
 MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
 MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
 MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
 MT-MURS2	L=16	Straight Multi-Unit short ratchet key	Stainless steel	
 MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	
 MT-MUMS2	L=24	Straight Multi-Unit short motor key	Stainless steel	
 MT-RSD19	L=19	LOCKIT short torque ratchet driver	Stainless steel	 

L = Length

Prosthetic Instruments

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-RSD24	L=24	LOCKiT long torque ratchet driver	Stainless steel	 
 MT-ELM10	L=30	Long motor key for angled screw channel	Stainless steel	
 MT-ESM10	L=24	Short motor key for angled screw channel	Stainless steel	
 MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	 
 MT-ESR10	L=18.7	Short ratchet key for angled screw channel	Stainless steel	
 MT-LOC10	Ø7.8 L=86	LOCKiT core tool	Stainless steel	 
 ET-IT002		OT-Equator handling tool		 
 MG1-TE480	Ø8.6 L=16	MGUIDE tool extender	Stainless steel	
 MT-RA480		Ratchet to hex. adapter	Stainless steel	
 MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length



Tools and Kits

SEVEN XD Placement Set



MK-XD01
XD organizer tray

The XD Organizer Tray is designed to support the XD procedure by providing a convenient place to store the XD drills during surgery. Please note that the organizer isn't included in the surgical kit and should be sterilized prior to surgery.





































MK-SVXD
SEVEN XD Placement Set



Cat. No.	Dimensions (mm)	Description	Material	Sold
MT-PDM24	Ø2.4 L=32	Position drill mill	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-BTC24	Ø2.4 L=28.5	Body try-in	Titanium	INSIDE KIT STAND ALONE

L = Length

SEVEN XD Placement Set

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-CSN33	Ø3.3 L=31	Countersink, narrow platform	Stainless steel	 
 MT-GDN33	Ø3.75/4.2 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-RMR10	L=38.5	Long direct hand and ratchet key, standard/wide platform	Stainless steel	 
 MT-RT070	L=95	Surgical torque ratchet		 

L = Length



Tools and Kits

SEVEN Surgical Kit



MK-T048
SEVEN Surgical Kit


Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-SMD10	L=30	Spade marking drill	Stainless steel	INSIDE KIT STAND ALONE
CT-P2406	Ø2.40/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2408	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2410	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2411	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	INSIDE KIT STAND ALONE

L = Length

SEVEN Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 CT-P2413	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
 CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 CT-BTC24	Ø2.40 L=28.5	Body try-in	Titanium	 
 MT-BTT28	Ø2.80 L=28.5	Body try-in	Titanium	 
 MT-BTT32	Ø3.20 L=28.5	Body try-in	Titanium	 
 MT-BTT40	Ø4 L=28.5	Body try-in	Titanium	 
 MT-BTT45	Ø4.50 L=28.5	Body try-in	Titanium	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-BTT50	Ø5 L=28.5	Body try-in	Titanium	 
 MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
 MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
 MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-RMR10	L=38.5	Long direct hand and ratchet key, standard/wide platform	Stainless steel	 


L = Length

SEVEN
Surgical Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	INSIDE KIT STAND ALONE
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	INSIDE KIT STAND ALONE
	MN-PF330 MD-PF375	Ø4.5, L=11 Ø5, L=11	Press fit for closed tray, internal hex.	Titanium	INSIDE KIT STAND ALONE
	MT-RT070	L=95	Surgical torque ratchet		INSIDE KIT STAND ALONE

L = Length

5 Drilling Procedures





Tools and Kits

SEVEN Drill Replacement Kit







MK-SD01

SEVEN Drill Replacement Kit
















Cat. No	Dimensions (mm)	Description	Material	Sold
 CT-P2408	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
 CT-P2410	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
 CT-P2411	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
 CT-P2413	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
 CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
 MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
 MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
 MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 

L = Length


M4 Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-LRH20	L=32.3	Long ratchet insertion tool, standard/wide platform, internal hex.	Stainless steel	 
 MT-SRH20	L=22.3	Short ratchet insertion tool, standard/wide platform, internal hex.	Stainless steel	 
 MT-RMR10	L=38.5	Long direct hand and ratchet key, standard/wide platform	Stainless steel	 
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RI030	L=84	Monoblock ratchet		 

L = Length




5 Surgical Procedures





Tools and Kits

MULTIFIX Drilling Set for 18 and 20mm Implants

MK-0058 
Drilling Set for 18 and 20mm Implants



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-ETD24	Ø2.40 L=39	Extra-long twist drill	Stainless steel	 
MT-ETD28	Ø2.80 L=39	Extra-long twist drill	Stainless steel	 
MT-ETD32	Ø3.20 L=39	Extra-long twist drill	Stainless steel	 
MT-ETD38	Ø3.80 L=39	Extra-long twist drill	Stainless steel	 
MT-LBT24	Ø2.40 L=34	Long body try-in	Stainless steel	 
MT-LBT28	Ø2.80 L=34	Long body try-in	Stainless steel	 
MT-LBT32	Ø3.20 L=34	Long body try-in	Stainless steel	 
MT-LBT38	Ø3.80 L=34	Long body try-in	Stainless steel	 

L = Length



Tools and Kits

SEVEN Drill Stoppers Kit, Standard Platform

Following the use of MIS length-based pilot drills, MIS Drill Stopper Kits ensure drilling to the exact desired depth.

The Standard Platform Kit includes the most commonly used implant lengths: 8, 10, 11.5 and 13mm.



Cat. No

Description



MK-BS001

Drill stopper kit for SEVEN implant, standard platform








Tools and Kits

SEVEN Drill Stopper Kits, Depth Based



MK-SDS(06-13) 
Drill Stopper Kits

Cat. No	Dimensions (mm)	Description	Material
 MK-SDS06	L=6	Drill stoppers kit for 6mm SEVEN implant	Stainless steel
 MK-SDS08	L=8	Drill stoppers kit for 8mm SEVEN implant	Stainless steel
 MK-SDS10	L=10	Drill stoppers kit for 10mm SEVEN implant	Stainless steel
 MK-SDS11	L=11.5	Drill stoppers kit for 11.5mm SEVEN implant	Stainless steel
 MK-SDS13	L=13	Drill stoppers kit for 13mm SEVEN implant	Stainless steel

L = Length















Tools and Kits

Bone Profiler Kit



MK-0059 
Bone Profiler Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-BP320	Ø3.20	Bone profiler, internal hex., narrow platform	Stainless steel	
	MT-BP370	Ø3.70	Bone profiler, internal hex., standard platform	Stainless steel	
	MT-BP460	Ø4.60	Bone profiler, internal hex., wide platform	Stainless steel	
	MT-BGP32	Ø3.20	Bone profiler guide pin, internal hex., narrow platform	Stainless steel	
	MT-BGP37	Ø3.70	Bone profiler guide pin, internal hex., standard platform	Stainless steel	
	MT-BGP46	Ø4.60	Bone profiler guide pin, internal hex., wide platform	Stainless steel	

L = Length



Tools and Kits

Bone Compression Kit





















MK-0020
Bone Compression Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
MO-CO160	Ø1.80-2.90 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-CO200	Ø2.30-3.30 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-CO240	Ø2.70-3.70 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-CO280	Ø3.10-4.50 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-SO300	Ø3 L=25	Concave sinus screw	Stainless steel	INSIDE KIT
MO-SO350	Ø3.50 L=25	Concave sinus screw	Stainless steel	INSIDE KIT
MO-SO400	Ø4 L=25	Concave sinus screw	Stainless steel	INSIDE KIT


L = Length

Bone Compression Kit


Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 MT-HS10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-HL10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-RI030	L=84	Monoblock ratchet		 

L = Length

2 Surgical Procedures



Bone Compression



















Sinus Lifting



Tools and Kits



































Prosthetic Tools Kit

 MK-0039
 Prosthetic Tools Kit



















Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-CLR21	L=31.6	CONNECT long ratchet insertion tool	Stainless steel	 

L = Length

Prosthetic Tools Kit


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	 
	MT-RE160	L=28.5	Abutment extractor, conical connection, narrow platform	Titanium	 
	MT-RE172	L=28.5	Abutment extractor, conical connection, standard/wide platform	Titanium	 
	MT-RSD19	L=19	LOCKIT short torque ratchet driver	Stainless steel	 
	MT-RSD24	L=24	LOCKIT long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	
	CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	

L = Length

Cat. No.	Dimensions (mm)	Description	Material	Sold
 CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	
 ET-IT002		OT-Equator handling tool		 
 MT-LOC10	Ø7.8 L=86	LOCKiT core tool	Stainless steel	 
 MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
 MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	 
 MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length

4 Prosthetic Solutions 2 Implant Connections





Tools and Kits

Abutment Holding System Kit

The abutment holding system allows convenient grip of prosthetic components for adjustments and preparation of both ceramic and titanium abutments.



Cat. No.

Description



MK-0001

Abutment holding system kit, internal hex.



PROSTHETIC OPTIONS

MIS offers a comprehensive range of prosthetic systems, which are suitable for any indication and procedure type, including analog and digital workflows. Combined with a wide variety of supporting tools and digital solutions, our products are designed to provide the biological advantages that are critical for successful treatment.

MIS superstructures are designed to meet all prosthetic needs and fit all accepted working methods. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types, as well as a line of concave emergence profile abutments. This abutment profile was designed to give more room for soft tissue ingrowth.

MIS offers solutions for both screw retained and cement retained treatments, for temporary and permanent restorations.



Impression Coping

Analogs and Impression Copings



























	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-ITC30	NP	Ø4, H=2, C=6	Impression coping for closed tray, concave, internal hex.	Titanium	
	MD-ITC30	SP	Ø4.8, H=2, C=6			
	MW-ITC30	WP	Ø5.5, H=2, C=6			
	MN-IO401	NP	Ø5.5, L=11	Impression coping for open tray, concave, internal hex.	Titanium	
	MD-IO481	SP	Ø6.2, L=11			
	MW-IO551	WP	Ø6.8, L=11			
	MN-IT100	NP	Ø4, L=9	Impression coping for closed tray, internal hex.	Stainless steel	
	MD-IT100	SP	Ø4.5, L=9			
	MW-IT100	WP	Ø5.4, L=9			
	MN-IO330	NP	Ø4.6, L=11	Impression coping for open tray, internal hex.	Stainless steel	
	MD-IO375	SP	Ø5, L=11			
	MW-IO470	WP	Ø5.5, L=11			

Concave emergence profile

H = Gingival height


C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-IT300 MD-IT300 MW-IT300	NP	Ø4, H=2, C=6	Impression coping set for closed tray, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=6			
	WP	Ø5.5, H=2, C=6			
 MN-PF330 MD-PF375 MW-PF550	NP	Ø4.5, L=11	Press fit for closed tray, internal hex.	Titanium	  
	SP	Ø5, L=11			
	WP	Ø5.5, L=11			
 MN-RSM10 MD-RSM10 MW-RSM10	NP	Ø3.3, L=12	Implant analog, internal hex.	Stainless steel	  
	SP	Ø3.75, L=12			
	WP	Ø4.6, L=12			
 MN-S0160 MD-S0220	NP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
	SP/WP				
 MD-G0213	SP/WP	L=23	Impression coping guide pin for open tray	Titanium	  
 MN-GP100	NP	L=16.5	Impression coping guide pin, internal hex.	Titanium	  

● Concave emergence profile
 H = Gingival height
 C = Crown height
 L = Length

3 Platforms





















Temporary Restoration

Temporary Cylinders






















Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-TC023 MD-TC023 MW-TC023	NP	Ø4, H=2, C=10	Temporary cylinder, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=10			
	WP	Ø5.5, H=2, C=10			
 MN-TC033 MD-TC033 MW-TC033	NP	Ø4, H=3, C=10	Temporary cylinder, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=10			
	WP	Ø5.5, H=3, C=10			
 MN-TCH23 MD-TCH23 MW-TCH23	NP	Ø4, H=2, C=10	Temporary cylinder, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=10			
	WP	Ø5.5, H=2, C=10			
 MN-TCH33 MD-TCH33 MW-TCH33	NP	Ø4, H=3, C=10	Temporary cylinder, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=10			
	WP	Ø5.5, H=3, C=10			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-TC013 MD-TC013 MW-TC013	NP	Ø4, H=1, C=10	Temporary cylinder, free rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=10			
	WP	Ø5.5, H=1, C=10			
 MN-TCH13 MD-TCH13 MW-TCH13	NP	Ø4, H=1, C=10	Temporary cylinder, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=10			
	WP	Ø5.5, H=1, C=10			
 MN-TPA10 MD-TPA10 MW-TPA10	NP	Ø4, H=1, C=10	Temporary plastic abutment, anti-rotation, Internal hex.	PEEK	  
	SP	Ø4.75, H=1, C=10			
	WP	Ø5.5, H=1, C=10			
 MN-TPA12 MD-TPA12 MW-TPA12	NP	Ø3.5, H=1, C=10	Narrow profile temporary plastic abutment, anti-rotation, internal hex.	PEEK	  
	SP	Ø3.75, H=1, C=10			
	WP	Ø4.5, H=1, C=10			
 MD-TPH50 MW-TPH50	SP	Ø5, H=2.5, C=9.5	Temporary plastic cylinder, anti-rotation, internal hex.	PEEK	 
	WP	Ø5.5, H=2.5, C=9.5			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

2 Abutment Options

Ti

Titanium

PEEK































Polyether ether ketone



Screw Retained Restoration

Multi-Unit System



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MA-NC248 MA-SC248	NP SP	Ø4.8, H=2	Multi-Unit concave abutment, internal hex.	Titanium	 
 MA-NC348 MA-SC348 MA-WC348	NP SP WP	Ø4.8, H=3	Multi-Unit concave abutment, internal hex.	Titanium	  
 MA-NC448 MA-SC448	NP SP	Ø4.8, H=4	Multi-Unit concave abutment, internal hex.	Titanium	 
 MA-WC548	WP	Ø4.8, H=5	Multi-Unit concave abutment, internal hex.	Titanium	
 MA-N1480 MA-S1480 MA-W1480	NP SP WP	Ø4.8, H=1	Multi-Unit abutment, internal hex.	Titanium	  
 MA-N2480 MA-S2480	NP SP	Ø4.8, H=2	Multi-Unit abutment, internal hex.	Titanium	 
 MA-N3480 MA-S3480 MA-W3480	NP SP WP	Ø4.8, H=3	Multi-Unit abutment, internal hex.	Titanium	  
 MA-N4480 MA-S4480	NP SP	Ø4.8, H=4	Multi-Unit abutment, internal hex.	Titanium	 
 MA-N5480 MA-S5480 MA-W5480	NP SP WP	Ø4.8, H=5	Multi-Unit abutment, internal hex.	Titanium	  

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MA-NO171 MA-SO171 MA-WO171	NP SP WP	Ø4.8, H=1	Multi-Unit angulated abutment, 17°, internal hex.	Titanium	
 MA-NO172 MA-SO172 MA-WO172	NP SP WP	Ø4.8, H=2	Multi-Unit angulated abutment, 17°, internal hex.	Titanium	
 MA-SO173 MA-WO173	SP WP	Ø4.8, H=3	Multi-Unit angulated abutment, 17°, internal hex.	Titanium	
 MA-NO301 MA-SO301 MA-WO301	NP SP WP	Ø4.8, H=1	Multi-Unit angulated abutment, 30°, internal hex.	Titanium	
 MA-NO302 MA-SO302 MA-WO302	NP SP WP	Ø4.8, H=2	Multi-Unit angulated abutment, 30°, internal hex.	Titanium	
 MA-SO303 MA-WO303	SP WP	Ø4.8, H=3	Multi-Unit angulated abutment, 30°, internal hex.	Titanium	
 MU-BGC48		L=3.3	Gold bar coping abutment for Multi-Unit	Gold-e	
 MU-RSM48		L=12	Analog for Multi-Unit	Titanium	
 MU-CC480		Ø4.8 L=3.3	Cementing cap for Multi-Unit	Titanium	
 MU-CC481		Ø4.8 L=4.3	Cementing cap for Multi-Unit (New design)	Titanium	
 MU-CP048		L=10	Plastic cylinder for Multi-Unit	Burnout plastic	
 MU-H4480		Ø4.8 L=4.3	Healing cap for Multi-Unit	Titanium	
 MU-I0480		Ø4.8 L=10	Impression coping for Multi-Unit, open tray	Titanium	
 MU-IT480		Ø4.8 L=8	Impression coping for Multi-Unit, closed tray	Titanium	

Multi-Unit System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MU-MG480		Ø4.8 L=14.5	Direct gold for Multi-Unit	Burnout plastic + gold-a	
	MU-TO480		Ø4.8 L=10	Titanium temporary cylinder for Multi-Unit	Titanium	
	MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	
	MU-MAN10		Ø4.8 L=10	Digital model analog for Multi-Unit	Titanium	
	MU-S0220		L=3.8	Prosthetic screw for Multi-Unit, 25Ncm	Titanium	
	MU-G0220		L=3.8	Prosthetic gold screw for Multi-Unit, 20Ncm	Gold-s	
	MT-MURL2		L=21	Straight Multi-Unit long ratchet key	Stainless steel	
	MT-MURS2		L=16	Straight Multi-Unit short ratchet key	Stainless steel	
	MT-MUML2		L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUMS2		L=24	Straight Multi-Unit short motor key	Stainless steel	
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	

 Concave emergence profile

H = Gingival height

C = Crown height















L = Length



Screw Retained Restoration

Plastic Cylinders



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-CPH13 MD-CPH13 MW-CPH13	NP	Ø3.5, C=11	Plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	  
	SP	Ø3.75, C=11			
	WP	Ø4.5, C=11			
 MN-CP013 MD-CP013 MW-CP013	NP	Ø3.5, C=11	Plastic cylinder, free rotation, internal hex.	Burnout Plastic	  
	SP	Ø3.75, C=11			
	WP	Ø4.5, C=11			
 MD-CPH50 MW-CPH60	SP	Ø5, C=11	Wide profile plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	 
	WP	Ø6.5, C=11			
 MD-CP050 MW-CP060	SP	Ø5, C=11	Wide profile plastic cylinder, free rotation, internal hex.	Burnout Plastic	 
	WP	Ø6.5, C=11			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Plastic Cylinders

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-GPC10 MD-GPC10 MW-GPC10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Gold plastic cylinder, anti-rotation, internal hex.	Burnout Plastic + Gold-a	  
	MN-GP010 MD-GP010 MW-GP010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Gold plastic cylinder, free rotation, internal hex.	Burnout plastic + Gold-a	  
	MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
	MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 
	MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MD-G0220	SP/WP	L=7.7	Gold prosthetic screw, 20 Ncm	Gold-s	 

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length




Digital Restoration

Ti-Bases

* For lab purposes only



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-TBC15 MD-TBC15 MW-TBC15	NP	Ø4.2, H=1.5, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=1.5, C=4			
	WP	Ø5.7, H=1.5, C=4			
 MN-FTB15 MD-FTB15 MW-FTB15	NP	Ø4.2, H=1.5, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=1.5, C=4			
	WP	Ø5.7, H=1.5, C=4			
 MN-TBC30 MD-TBC30 MW-TBC30	NP	Ø4.2, H=3, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=3, C=4			
	WP	Ø5.7, H=3, C=4			
 MN-FTB30 MD-FTB30 MW-FTB30	NP	Ø4.2, H=3, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=3, C=4			
	WP	Ø5.7, H=3, C=4			
 MN-TB001 MD-TB001 MW-TB001	NP	Ø4.2, H=0.5, C=4	Ti-Base, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=0.5, C=4			
	WP	Ø5.7, H=0.5, C=4			
 MN-TB002 MD-TB002 MW-TB002	NP	Ø4, H=0.5, C=4	Ti-Base, free rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=0.5, C=4			
	WP	Ø5.7, H=0.5, C=4			
 MN-IN060 MD-IN060	NP	Ø4.2, H=0.5, C=6	Incisor esthetic Ti abutment, internal hex.	Titanium	 
	SP	Ø4.3, H=0.5, C=6			
 MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length








Digital Restoration

Scan Post Kit, Internal Hex.


* For lab purposes only



MK-0056
Scan Post Kit

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-SP102 MD-SP102 MW-SP102	NP SP WP	L=10	Scan Post, internal hex.	Titanium	  
 MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	

● Concave emergence profile H = Gingival height C = Crown height L = Length








Digital Restoration

Digital Model Analogs

* For lab purposes only




Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-MAN10 MD-MAN10 MW-MAN10	NP	Ø3.30, L=10	Digital model analog, internal hex.	Titanium	  
	SP	Ø3.80, L=10			
	WP	Ø4.60, L=10			
 MU-MAN10		Ø4.80 L=10	Digital model analog for Multi-Unit	Titanium	

Concave emergence profile
 H = Gingival height
 C = Crown height
 L = Length













Cemented Restoration

Cementable Abutments



Cat. No. Platform Dimensions (mm) Description Material Platform

	MN-AT102	NP	Ø4, H=2, C=7	Cementable angulated abutment, 10°, concave, internal hex.	Titanium	
	MD-AT152 MW-AT152	SP WP	Ø4.8, H=2, C=7.5 Ø5.5, H=2, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	 
	MD-AT153	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MN-AT202	NP	Ø4, H=2, C=7	Cementable angulated abutment, 20°, concave, internal hex.	Titanium	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MD-AT252	SP	Ø4.8, H=2, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
 MD-AT253	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
 MD-A0010 MW-P0010	SP WP	Ø5.5, H=1, C=8 Ø6.3, H=1, C=8	Cementable abutment, internal hex.	Titanium	 
 MD-P0030	SP	Ø5.6, H=3, C=8	Cementable abutment, internal hex.	Titanium	
 MN-AT101	NP	Ø4, H=1, C=7	Cementable angulated abutment, 10°, internal hex.	Titanium	
 MD-A1510 MW-P1510	SP WP	Ø5.2, H=1, C=8 Ø5.8, H=1, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	 
 MN-AN020	NP	Ø4, H=1, C=7.3	Cementable angulated abutment, 20°, internal hex.	Titanium	
 MD-AN151 MW-AN151	SP WP	Ø4.9, H=1, C=7.5 Ø6, H=1, C=7.3	Cementable angulated abutment, 15°, internal hex.	Titanium	 
 MD-P1530	SP	Ø5.2, H=3, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	
 MD-A2510	SP	Ø5.6, H=1, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	
 MD-AN251	SP	Ø5.9, H=1, C=7	Cementable angulated abutment, 25°, internal hex.	Titanium	
 MD-P2530	SP	Ø5.7, H=3, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	

 Concave emergence profile

H = Gingival height

C = Crown height


L = Length

Cementable Abutments

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	NP SP WP
MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	SP WP
MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	SP WP
MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	SP WP
MD-G0220	SP/WP	L=7.7	Gold prosthetic screw, 20 Ncm	Gold-s	SP WP

● Concave emergence profile H = Gingival height C = Crown height L = Length

5 Angle Options



Cemented Restoration

















Cementing Posts




Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
MN-MC102 MD-MC102 MW-MC102	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Cementing post, concave, internal hex.	Titanium	NP SP WP
MN-MAC10 MD-MAC10 MW-MAC10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Cementing post, internal hex.	Titanium	NP SP WP
MD-WMAC1 MW-WMAC1	SP WP	Ø5.5, H=1, C=10 Ø6.5, H=1, C=10	Wide profile cementing post, internal hex.	Titanium	SP WP
MD-MACF1	SP	Ø4.8, H=2.5, C=8.5	Friction fit cementing post with platform switching, internal hex.	Titanium	SP
MD-CTP10 MW-CTP10	SP WP	Ø3.75, H=0, C=8.5 Ø5.5, H=0, C=8.5	Narrow profile cementing post, internal hex.	Titanium	SP WP


● Concave emergence profile H = Gingival height C = Crown height L = Length

Cementing Posts

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
 MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 
 MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
 MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
 MD-G0220	SP/WP	L=7.7	Gold prosthetic screw, 20 Ncm	Gold-s	 

 Concave emergence profile
 H = Gingival height
 C = Crown height
 L = Length

4 Screw Height Options




































Cemented Restoration

CPK - Complete Prosthetic Kit



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MK-NPC62 MK-CPC62 MK-WPC62	NP	Ø4, H=2, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=6			
	WP	Ø5.5, H=2, C=6			
 MK-NPC63 MK-CPC63 MK-WPC63	NP	Ø4, H=3, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=6			
	WP	Ø5.5, H=3, C=6			
 MK-NPC64 MK-CPC64 MK-WPC64	NP	Ø4, H=4, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
	SP	Ø4.8, H=4, C=6			
	WP	Ø5.5, H=4, C=6			
 MK-NPK41 MK-CPK41 MK-WPK41	NP	Ø4, H=1, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=4			
	WP	Ø5.5, H=1, C=4			
 MK-NPK42 MK-CPK42 MK-WPK42	NP	Ø4, H=2, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=4			
	WP	Ø5.5, H=2, C=4			
 MK-NPK43 MK-CPK43 MK-WPK43	NP	Ø4, H=3, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=4			
	WP	Ø5.5, H=3, C=4			
 MK-NPK44 MK-CPK44 MK-WPK44	NP	Ø4, H=4, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=4, C=4			
	WP	Ø5.5, H=4, C=4			
 MK-NPK61 MK-CPK61 MK-WPK61	NP	Ø4, H=1, C=6	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=6			
	WP	Ø5.5, H=1, C=6			



















 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

CPK - Complete Prosthetic Kit

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NPK62	NP	Ø4, H=2, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK62	SP	Ø4.8, H=2, C=6			
	MK-WPK62	WP	Ø5.5, H=2, C=6			
	MK-NPK63	NP	Ø4, H=3, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK63	SP	Ø4.8, H=3, C=6			
	MK-WPK63	WP	Ø5.5, H=3, C=6			
	MK-NPK64	NP	Ø4, H=4, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK64	SP	Ø4.8, H=4, C=6			
	MK-WPK64	WP	Ø5.5, H=4, C=6			
	MK-CPK81	SP	Ø4.8, H=1, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK81	WP	Ø5.5, H=1, C=8			
	MK-CPK82	SP	Ø4.8, H=2, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK82	WP	Ø5.5, H=2, C=8			
	MK-CPK83	SP	Ø4.8, H=3, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK83	WP	Ø5.5, H=3, C=8			
	MK-CPK84	SP	Ø4.8, H=4, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK84	WP	Ø5.5, H=4, C=8			
	MN-IC600	NP	Ø4.2, L=8	Transfer plastic cap for CPK	Plastic	
	MD-IC800	SP	Ø5, L=10			
	MW-IC800	WP	Ø5.7, L=10			
	MN-RSM60	NP	Ø4, C=6, L=18	Abutment analog for CPK	Stainless steel	
	MD-RSM60	SP	Ø4.8, C=6, L=18			
	MW-RSM60	WP	Ø5.5, C=6, L=18			

 Concave emergence profile

H = Gingival height

C = Crown height



















L = Length



Overdentures

LOCKiT Attachment System



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MK-NLC1 MK-SLC1 MK-WLC1	NP	Ø3.30, H=1	LOCKiT abutment kit, internal hex.	Titanium	  
	SP	Ø3.75, H=1			
	WP	Ø4.5, H=1			
 MK-NLC2 MK-SLC2	NP	Ø3.30, H=2	LOCKiT abutment kit, internal hex.	Titanium	 
	SP	Ø3.75, H=2			
 MK-NLC3 MK-SLC3 MK-WLC3	NP	Ø3.30, H=3	LOCKiT abutment kit, internal hex.	Titanium	  
	SP	Ø3.75, H=3			
	WP	Ø4.5, H=3			
 MK-NLC4 MK-SLC4	NP	Ø3.30, H=4	LOCKiT abutment kit, internal hex.	Titanium	 
	SP	Ø3.75, H=4			
 MK-NLC5 MK-SLC5 MK-WLC5	NP	Ø3.30, H=5	LOCKiT abutment kit, internal hex.	Titanium	  
	SP	Ø3.75, H=5			
	WP	Ø4.5, H=5			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

LOCKiT Attachment System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MT-LOC10		Ø7.8 L=86	LOCKiT core tool	Stainless steel	
	MM-LOC11		Ø5.4 L=4.4	LOCKiT impression coping	Titanium	
	MM-LOA40 MM-LOA50	NP/SP WP	Ø4, L=10.2 Ø5, L=10.2	LOCKiT analog	Titanium	  
	MM-LOC02			LOCKiT male processing package		
	MM-CLE10		Ø4.75 H=1.78	LOCKiT male retention cap 10° standard (clear)	Nylon	
	MM-PIN10		Ø4.72 H=1.78	LOCKiT male retention cap 10° light (pink)	Nylon pink	
	MM-BLU10		Ø4.72 H=1.78	LOCKiT male retention cap 10° extra light (blue)	Nylon blue	
	MM-GRE10		Ø4.75 H=1.78	LOCKiT male retention cap 20° standard (green)	Nylon green	
	MM-RED10		Ø4.72 H=1.78	LOCKiT male retention cap 20° extra light (red)	Nylon red	
	MM-BLA10		Ø4.75 H=1.9	LOCKiT male processing cap for impression coping (black)	Polyethylene black	
	MM-TIT10		Ø5.5 H=2.25	LOCKiT metal housing titanium cap	Titanium	
	MT-RSD19		L=19	LOCKiT short torque ratchet driver	Stainless steel	

 Concave emergence profile

H = Gingival height


C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MT-RSD24		L=24	LOCKiT long torque ratchet driver	Stainless steel	
 MT-LOC11		Ø7.35 H=4.1	LOCKiT abutment holder sleeve		

● Concave emergence profile H = Gingival height C = Crown height L = Length

5 Retention Options























Overdentures

OT-Equator Kits















Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MK-NOE1 MK-SOE1 MK-WOE1	NP	Ø4, H=1	OT-Equator kit, internal hex.	Titanium	  
	SP	Ø4, H=1			
	WP	Ø5, H=1			
 MK-NOE2 MK-SOE2	NP	Ø4, H=2	OT-Equator kit, internal hex.	Titanium	 
	SP	Ø4, H=2			
 MK-NOE3 MK-SOE3 MK-WOE3	NP	Ø4, H=3	OT-Equator kit, internal hex.	Titanium	  
	SP	Ø4, H=3			
	WP	Ø5, H=3			
 MK-NOE4 MK-SOE4	NP	Ø4, H=4	OT-Equator kit, internal hex.	Titanium	 
	SP	Ø4, H=4			
 MK-NOE5 MK-SOE5 MK-WOE5	NP	Ø4, H=5	OT-Equator kit, internal hex.	Titanium	  
	SP	Ø4, H=5			
	WP	Ø5, H=5			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 ET-IT002			OT-Equator handling tool		
 OE-IC002			OT-Equator impression coping cap		
 OE-IC001			OT Equator tear-off impression transfer cap		
 OE-RSM60			OT-Equator analog	Stainless steel	
 MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	
 MT-RDS30		L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
 OE-RCP01			OT-Equator soft retentive cap (pink), 4-pack		
 OE-RCW01			OT-Equator standard retentive cap (white), 4-pack		
 OE-RCV01			OT-Equator rigid retentive cap (violet), 4-pack		
 OE-RCY01			OT-Equator extra soft retentive cap (yellow), 4-pack		
 OE-RCB01			OT-Equator laboratory retentive cap (black), 4-pack		
 OE-MH001			OT-Equator metal housing		

 Concave emergence profile

H = Gingival height


C = Crown height

L = Length



Overdentures

Ball Attachment System



Cat. No. Platform Dimensions (mm) Description Material Platform



MB-N1375
MW-B1500

SP
WP

Ø4, H=1
Ø5, H=1

Ball attachment anchor, internal hex.

Titanium alloy +
Titanium nitride



MB-N2330
MB-N2375

NP
SP

Ø4, H=2

Ball attachment anchor, internal hex.

Titanium alloy +
Titanium nitride



MB-N3330
MB-N3375
MW-B3500

NP
SP
WP

Ø4, H=3
Ø4, H=3
Ø5, H=3

Ball attachment anchor, internal hex.

Titanium alloy +
Titanium nitride



MB-N4330
MB-N4375

NP
SP

Ø4, H=4

Ball attachment anchor, internal hex.

Titanium alloy +
Titanium nitride



MB-N5375
MW-B5500

SP
WP

Ø4, H=5
Ø5, H=5

Ball attachment anchor, internal hex.

Titanium alloy +
Titanium nitride



MB-AN152

SP

H=2

Ball anchor angulated abutment, 15°,
internal hex.

Titanium



MB-AN252

SP

H=2

Ball anchor angulated abutment, 25°,
internal hex.

Titanium



MB-RS375

L=15.1

Ball attachment analog












Stainless steel


● Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MB-SF200		Ø3.7 L=3.5	Plastic ball cap for ball attachment	Plastic	
 MB-GPS10		L=2.4	Gold ball cap for ball attachment	Gold-e	
 MB-TTP10		Ø3.5 L=3.1	Titanium ball cap for ball attachment	Titanium	
 MB-PR010		Ø3.8 L=2	Plastic mounting sleeve for ball attachment	Plastic	
 MB-TBS10		Ø2.5	Titanium ball cap spring for ball attachment, standard	Steel	
 MB-TBS20		Ø2.6	Titanium ball cap spring for ball attachment, soft	Steel	
 MB-DMH10			Double metal housing for ball attachment		
 MB-PPC10		Ø4.2 L=2.6	Standard plastic cap for ball attachment metal housing	Plastic	
 MB-PPR10		Ø4.2 L=2.6	Soft plastic cap for ball attachment metal housing, 800-950g retention	Plastic	
 MB-DB235		Ø15 L=2.6	Plastic disc for ball attachment	Plastic	
 MT-RB225		L=22	Ball attachment anchor key	Stainless steel	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length



MGUIDE - DIGITAL DENTISTRY

MGUIDE is the industry's most advanced, yet simple solution for guided surgery. The 3D printed template is designed with an open-frame for maximum visibility, irrigation and accessibility from all angles without the need for removal.

MGUIDE is a keyless system, designed for single handed procedures, eliminating the need for unnecessary tools. Raised flap surgery may also be more easily performed.





MGUIDE

MGUIDE Custom Surgical Template



Cat. No

Description



MG-TMP10

MGUIDE value pack



MG-TMP20

MGUIDE value pack for edentulous cases



MGUIDE

MGUIDE SEVEN Surgical Set







































MG-K001
MGUIDE SEVEN Surgical Set

Cat. No	Dimensions (mm)	Description	Material	Sold
MG-TP047	Ø4.7 L=26	MGUIDE tissue punch, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MG-TP055	Ø5.5 L=26	MGUIDE tissue punch, wide platform	Stainless steel	INSIDE KIT STAND ALONE
MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill, wide platform	Stainless steel	INSIDE KIT STAND ALONE
MG-D0624	Ø2.4 L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	INSIDE KIT STAND ALONE
MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	INSIDE KIT STAND ALONE
MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	INSIDE KIT STAND ALONE

L = Length

MGUIDE SEVEN Surgical Set

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
	MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 
	MG-D0633	Ø2.2-3.2 L=30.8	MGUIDE drill for Ø3.30 x 6mm length implant	Stainless steel	 
	MG-D0833	Ø2.2-3.2 L=32.8	MGUIDE drill for Ø3.30 x 8mm length implant	Stainless steel	 
	MG-D1033	Ø2.2-3.2 L=34.8	MGUIDE drill for Ø3.30 x 10mm length implant	Stainless steel	 
	MG-D1133	Ø2.2-3.2 L=36.3	MGUIDE drill for Ø3.30 x 11.5mm length implant	Stainless steel	 
	MG-D1333	Ø2.2-3.2 L=37.8	MGUIDE drill for Ø3.30 x 13mm length implant	Stainless steel	 
	MG-D0637	Ø2.8-3.6 L=30.8	MGUIDE drill for Ø3.75 x 6mm length implant	Stainless steel	 
	MG-D0837	Ø2.8-3.6 L=32.8	MGUIDE drill for Ø3.75 x 8mm length implant	Stainless steel	 
	MG-D1037	Ø2.8-3.6 L=34.8	MGUIDE drill for Ø3.75 x 10mm length implant	Stainless steel	 
	MG-D1137	Ø2.8-3.6 L=36.3	MGUIDE drill for Ø3.75 x 11.5mm length implant	Stainless steel	 
	MG-D1337	Ø2.8-3.6 L=37.8	MGUIDE drill for Ø3.75 x 13mm length implant	Stainless steel	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-D0642	Ø3.3-4.1 L=30.8	MGUIDE drill for Ø4.20 x 6mm length implant	Stainless steel	 
 MG-D0842	Ø3.3-4.1 L=32.8	MGUIDE drill for Ø4.20 x 8mm length implant	Stainless steel	 
 MG-D1042	Ø3.3-4.1 L=34.8	MGUIDE drill for Ø4.20 x 10mm length implant	Stainless steel	 
 MG-D1142	Ø3.3-4.1 L=36.3	MGUIDE drill for Ø4.20 x 11.5mm length implant	Stainless steel	 
 MG-D1342	Ø3.3-4.1 L=37.8	MGUIDE drill for Ø4.20 x 13mm length implant	Stainless steel	 
 MG-D0650	Ø4.1-4.9 L=30.8	MGUIDE drill for Ø5 x 6mm length implant	Stainless steel	 
 MG-D0850	Ø4.1-4.9 L=32.8	MGUIDE drill for Ø5 x 8mm length implant	Stainless steel	 
 MG-D1050	Ø4.1-4.9 L=34.8	MGUIDE drill for Ø5 x 10mm length implant	Stainless steel	 
 MG-D1150	Ø4.1-4.9 L=36.3	MGUIDE drill for Ø5 x 11.5mm length implant	Stainless steel	 
 MG-D1350	Ø4.1-4.9 L=37.8	MGUIDE drill for Ø5 x 13mm length implant	Stainless steel	 
 MG-DLG55	Ø5.5 L=55	MGUIDE drill length gauge	Titanium	 
 MG-GRI01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex.	Stainless steel	 

L = Length

MGUIDE SEVEN Surgical Set

























	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-GRN01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-GMI10	L=28.9	MGUIDE motor insertion tool, internal hex.	Stainless steel	 
	MG-GR110	Ø7 L=24.5	MGUIDE ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MG-IE172	L=32.7	MGUIDE insertion tool extractor, internal hex., standard/wide platform	Titanium	 
	MG-IE160	L=32.7	MGUIDE insertion tool extractor, internal hex., narrow platform	Titanium	 
	MG-DFP20	Ø2 L=35.3	MGUIDE drill for fixation pin	Stainless steel	 
	MG-FP020	Ø2 L=29	MGUIDE fixation pin	Titanium	 
	MG-TAS55	Ø5.5 L=24	MGUIDE template anchoring screw	Titanium	 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



MG-SD01
MGUIDE Drill Replacement Kit



Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-TP055	Ø5.5 L=26	MGUIDE tissue punch, wide platform	Stainless steel	 
 MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill, standard platform	Stainless steel	 
 MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill, wide platform	Stainless steel	 
 MG-D0624	Ø2.4 L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	 
 MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	 
 MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	 
 MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
 MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 

L = Length


















MGUIDE

MGUIDE SEVEN Surgical Set, Narrow Sleeve



MG-K002
MGUIDE SEVEN Surgical Set,
Narrow Sleeve

























Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 
 MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
 MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 
 MG-N0633	Ø2.2-3.2 L=30.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 6mm length implant	Stainless steel	 
 MG-N0833	Ø2.2-3.2 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 8mm length implant	Stainless steel	 
 MG-N1033	Ø2.2-3.2 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 10mm length implant	Stainless steel	 
 MG-N1133	Ø2.2-3.2 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.30 x 11.5mm length implant	Stainless steel	 
 MG-N1333	Ø2.2-3.2 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 13mm length implant	Stainless steel	 
 MG-N0637	Ø2.8-3.6 L=30.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 6mm length implant	Stainless steel	 
 MG-N0837	Ø2.8-3.6 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 8mm length implant	Stainless steel	 
 MG-N1037	Ø2.8-3.6 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 10mm length implant	Stainless steel	 
 MG-N1137	Ø2.8-3.6 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.75 x 11.5mm length implant	Stainless steel	 
 MG-N1337	Ø2.8-3.6 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 13mm length implant	Stainless steel	 

L = Length


MGUIDE Surgical Set for SEVEN Implant, Narrow Sleeve








Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NLG40	Ø4 L=55	MGUIDE Narrow Sleeve drill length gauge	Titanium	 
 MG-NMN10	Ø5 L=30.4	MGUIDE Narrow Sleeve motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MG-NMS10	Ø5 L=28.9	MGUIDE Narrow Sleeve motor insertion tool, internal hex., standard platform	Stainless steel	 
 MG-NRN01	Ø5.3 L=29.5	MGUIDE Narrow Sleeve direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MG-NRS01	Ø5.3 L=24.7	MGUIDE Narrow Sleeve direct insertion tool, internal hex., standard platform	Stainless steel	 
 MG-NRN10	Ø5.3 L=25	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MG-NRS10	Ø5.3 L=24.5	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., standard platform	Stainless steel	 
 MG-NTAS0	Ø5.3 L=24	MGUIDE Narrow Sleeve template anchoring screw	Titanium	 

L = Length



MG-ND01
 MGUIDE Drill Replacement Kit, Narrow Sleeve



Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	INSIDE KIT STAND ALONE
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	INSIDE KIT STAND ALONE
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	INSIDE KIT STAND ALONE
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	INSIDE KIT STAND ALONE
 MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	INSIDE KIT STAND ALONE
 MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	INSIDE KIT STAND ALONE
 MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	INSIDE KIT STAND ALONE

L = Length



ADDITIONAL INFORMATION

For your convenience, the following section provides an additional resource about products and processes that may require expanded explanations in the form of visuals, schematics, technical information or documentation.



Additional information

XD Drills

NEW. SHARP. EVERY SINGLE TIME

MIS XD are single-use, sharp, sterile, procedure-ready drills in every implant package. MIS XD deliver a full procedure in every implant package. These single-use drills are designed for optimal implant-drill compatibility and high initial stability, while ensuring safe and simplified procedures.

XD SHARP

MIS XD, supplied in every implant package, are always sharp. Using sharp drills in every drilling procedure prevents drill wear and deformation.

XD STERILE

MIS XD, supplied in every implant package, are always sterile. This eliminates the need for post-surgery sterilization and reduces the risk of cross-contamination and infection.

XD SAFE

MIS XD, supplied in every implant package, are always compatible with the implant shape and dimensions. MIS XD are designed for depth control, which provides more visibility and confidence in every drilling procedure.

XD SIMPLE

MIS XD, supplied in every implant package, are single-use drills. Single-use drills allow for a simple and quick procedure while eliminating cleaning, re-sterilization and reduce managing drill replacement in the surgical kits.



BONE PROTECTION

- Studies have shown that bone temperature increase is directly correlated with higher drill usage.
- MIS XD are new and sharp every single time.

DEPTH PLANNING

- Predetermined drill length and diameter, matching the relevant implant shape and dimension may enhance initial stability.
- Drills are marked for depth control.

STRENGTH

MIS XD drills are manufactured according to the most stringent standards and tests.

BONE COLLECTION

MIS XD blades are designed to collect bone chips for autografting.

PRECISE POSITIONING


The tip of the step drill has the same diameter as the previously used drill, which provides a more precise positioning of the drill inside the osteotomy.





Additional information


Pilot Drills, External Irrigation





Additional information

SEVEN Twist Drills, External Irrigation





Additional information

M4 Twist Drills, External Irrigation

16mm depth

13mm depth

11.5mm depth

10mm depth

8mm depth


6mm depth




MT-TDN28




MT-TDN32




MT-TDN38



MT-TDN45



MT-TDN50




MT-TDN55



Additional information

SEVEN and M4 Short Twist Drills, External Irrigation






Additional information

Alloy Composition

Material	Titanium Alloy Ti 6Al 4V ELI	Gold-a	Gold-s	Gold-e	
Application	C, K	L, G, K	L, G, K	L, K	
Composition	Gold %	-	60	61	70
	Platinum %	-	19	13.5	8.50
	Silver %	-	-	16.5	13.40
	Palladium %	-	20	-	-
	Copper %	-	-	9	7.50
	Zinc %		-	Balance	0.05
	Iridium %		Balance	-	0.10
	Titanium (max)	Balance	-	-	-
	Carbon (max)	0.08	-	-	-
	Iron (max)	0.25	-	-	-
	Oxygen (max)	0.13	-	-	-
	Nitrogen (max)	0.05	-	-	-
	Hydrogen (max)	0.013	-	-	-
	Aluminum	5.5-6.5	-	-	-
	Vanadium	3.5-4.5	-	-	-
	Melting range °C	1604-1660	1400-1490	950-1050	895-1010
	Hardness	Soft annealing HV5	-	145	160
Hardened HV5		350-385	240	250	295
Soft °C / min		-	100/30	750/5	750/5
Hardened °C / min		-	700/30	350/15	450/15

Legend: C-bonding K-resin L-soldering G-casting onto



Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
C					
CT-BTC24	43	MA-N2480	70	MB-SF200	91
CT-BTC24	46	MA-N3480	70	MB-TBS10	91
CT-P2406	28	MA-N4480	70	MB-TBS20	91
CT-P2406	45	MA-N5480	70	MB-TTP10	91
CT-P2408	28	MA-NC248	70	MD-A0010	79
CT-P2408	45	MA-NC348	70	MD-A1510	79
CT-P2408	49	MA-NC448	70	MD-A2510	79
CT-P2410	28	MA-NO171	71	MD-AN151	79
CT-P2410	45	MA-NO172	71	MD-AN251	79
CT-P2410	49	MA-NO301	71	MD-AT152	78
CT-P2411	29	MA-NO302	71	MD-AT153	78
CT-P2411	45	MA-S1480	70	MD-AT252	79
CT-P2411	49	MA-S2480	70	MD-AT253	79
CT-P2413	29	MA-S3480	70	MD-CP013	73
CT-P2413	46	MA-S4480	70	MD-CP050	73
CT-P2413	49	MA-S5480	70	MD-CPH13	73
CT-P2416	29	MA-SC248	70	MD-CPH50	73
CT-P2416	43	MA-SC348	70	MD-CTP10	81
CT-P2416	46	MA-SC448	70	MD-FTB15	75
CT-P2416	49	MA-SO171	71	MD-FTB30	75
CT-P2416	50	MA-SO172	71	MD-G0213	67
CT-UN001	60	MA-SO173	71	MD-G0220	74
CT-US001	60	MA-SO301	71	MD-G0220	80
CT-UW001	61	MA-SO302	71	MD-G0220	82
		MA-SO303	71	MD-GP010	74
		MA-W1480	70	MD-GPC10	74
		MA-W3480	70	MD-I0375	66
		MA-W5480	70	MD-IC800	84
		MA-WC348	70	MD-IN060	75
		MA-WC548	70	MD-IO481	66
		MA-WO171	71	MD-IT100	66
		MA-WO172	71	MD-IT300	67
		MA-WO173	71	MD-ITC30	66
		MA-WO301	71	MD-MAC10	81
		MA-WO302	71	MD-MACF1	81
		MA-WO303	71	MD-MAN10	77
		MB-AN152	90	MD-MC102	81
		MB-AN252	90	MD-P0030	79
		MB-DB235	91	MD-P1530	79
		MB-DMH10	91	MD-P2530	79
		MB-GPS10	91	MD-PF375	48
		MB-N1375	90	MD-PF375	67
		MB-N2330	90	MD-RSM10	67
		MB-N2375	90	MD-RSM60	84
		MB-N3330	90	MD-S0200	74
		MB-N3375	90	MD-S0200	80
		MB-N4330	90	MD-S0200	82
		MB-N4375	90	MD-S0220	67
		MB-N5375	90	MD-S0220	74
		MB-PPC10	91	MD-S0220	75
		MB-PPR10	91	MD-S0220	80
		MB-PR010	91	MD-S0220	82
		MB-RS375	90	MD-S0222	74
E					
ET-IT002	42				
ET-IT002	61				
ET-IT002	89				
M					
MA-N1480	70				

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MD-S0222	80	MF7-20375*	9	MG-D1324	99
MD-S0222	82	MF7-20420*	11	MG-D1333	96
MD-S0224	74	MF7-D06420	11	MG-D1337	96
MD-S0224	80	MF7-D06500	13	MG-D1342	97
MD-S0224	82	MF7-D08375	9	MG-D1350	97
MD-SP102	76	MF7-D08420	11	MG-DFP20	98
MD-TB001	75	MF7-D08500	13	MG-DLG55	97
MD-TB002	75	MF7-D10330	7	MG-FP020	98
MD-TBC15	75	MF7-D10375	9	MG-GMI10	98
MD-TBC30	75	MF7-D10420	11	MG-GRI01	97
MD-TC013	69	MF7-D10500	13	MG-GRI10	98
MD-TC023	68	MF7-D11330	7	MG-GRN01	98
MD-TC033	68	MF7-D11375	9	MG-IE160	98
MD-TCH13	69	MF7-D11420	11	MG-IE172	98
MD-TCH23	68	MF7-D11500	13	MG-K001	95
MD-TCH33	68	MF7-D13330	7	MG-K002	100
MD-TPA10	69	MF7-D13375	9	MG-N0624	100
MD-TPA12	69	MF7-D13420	11	MG-N0624	103
MD-TPH50	69	MF7-D13500	13	MG-N0633	101
MD-WMAC1	81	MF7-D16330	7	MG-N0637	101
MF4-06420	21	MF7-D16375	9	MG-N0824	100
MF4-06500	23	MF7-D16420	11	MG-N0824	103
MF4-06600	25	MF7-D16500	13	MG-N0833	101
MF4-08375	19	MG1-TE480	42	MG-N0837	101
MF4-08420	21	MG-BM047	95	MG-N1024	100
MF4-08500	23	MG-BM047	99	MG-N1024	103
MF4-08600	25	MG-BM055	95	MG-N1033	101
MF4-10330	17	MG-BM055	99	MG-N1037	101
MF4-10375	19	MG-D0624	95	MG-N1124	101
MF4-10420	21	MG-D0624	99	MG-N1124	103
MF4-10500	23	MG-D0633	96	MG-N1133	101
MF4-10600	25	MG-D0637	96	MG-N1137	101
MF4-11330	17	MG-D0642	97	MG-N1324	101
MF4-11375	19	MG-D0650	97	MG-N1324	103
MF4-11420	21	MG-D0824	95	MG-N1333	101
MF4-11500	23	MG-D0824	99	MG-N1337	101
MF4-11600	25	MG-D0833	96	MG-NBM40	100
MF4-13330	17	MG-D0837	96	MG-NBM40	103
MF4-13375	19	MG-D0842	97	MG-NLG40	102
MF4-13420	21	MG-D0850	97	MG-NMN10	102
MF4-13500	23	MG-D1024	95	MG-NMS10	102
MF4-13600	25	MG-D1024	99	MG-NRN01	102
MF4-16330	17	MG-D1033	96	MG-NRN10	102
MF4-16375	19	MG-D1037	96	MG-NRS01	102
MF4-16420	21	MG-D1042	97	MG-NRS10	102
MF4-16500	23	MG-D1050	97	MG-NTAS0	102
MF7-06600	15	MG-D1124	96	MG-NTP40	100
MF7-08600	15	MG-D1124	99	MG-NTP40	103
MF7-10600	15	MG-D1133	96	MG-TAS55	98
MF7-11600	15	MG-D1137	96	MG-TMP10	94
MF7-13600	15	MG-D1142	97	MG-TMP20	94
MF7-18375*	9	MG-D1150	97	MG-TP047	95
MF7-18420*	11	MG-D1324	96	MG-TP055	95

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MG-TP055	99	MK-SLC3	85	MN-IC600	84
MK-0001	62	MK-SLC4	85	MN-IN060	75
MK-0016	50	MK-SLC5	85	MN-IO401	66
MK-0020	57	MK-SOE1	88	MN-IT100	66
MK-0056	76	MK-SOE2	88	MN-IT300	67
MK-0058	53	MK-SOE3	88	MN-ITC30	66
MK-0059	56	MK-SOE4	88	MN-MAC10	81
MK-BS001	54	MK-SOE5	88	MN-MAN10	77
MK-CPC62	83	MK-T048	45	MN-MC102	81
MK-CPC63	83	MK-WLC1	85	MN-PF330	48
MK-CPC64	83	MK-WLC3	85	MN-PF330	67
MK-CPK41	83	MK-WLC5	85	MN-RSM10	67
MK-CPK42	83	MK-WOE1	88	MN-RSM60	84
MK-CPK43	83	MK-WOE3	88	MN-S0160	67
MK-CPK44	83	MK-WOE5	88	MN-S0160	74
MK-CPK61	83	MK-WPC62	83	MN-S0160	75
MK-CPK62	84	MK-WPC63	83	MN-S0160	80
MK-CPK63	84	MK-WPC64	83	MN-S0160	82
MK-CPK64	84	MK-WPK41	83	MN-SP102	76
MK-CPK81	84	MK-WPK42	83	MN-TB001	75
MK-CPK82	84	MK-WPK43	83	MN-TB002	75
MK-CPK83	84	MK-WPK44	83	MN-TBC15	75
MK-CPK84	84	MK-WPK61	83	MN-TBC30	75
MK-NLC1	85	MK-WPK62	84	MN-TC013	69
MK-NLC2	85	MK-WPK63	84	MN-TC023	68
MK-NLC3	85	MK-WPK64	84	MN-TC033	68
MK-NLC4	85	MK-WPK81	84	MN-TCH13	69
MK-NLC5	85	MK-WPK82	84	MN-TCH23	68
MK-NOE1	88	MK-WPK83	84	MN-TCH33	68
MK-NOE2	88	MK-WPK84	84	MN-TPA10	69
MK-NOE3	88	MM-BLA10	86	MN-TPA12	69
MK-NOE4	88	MM-BLU10	86	MO-CO160	57
MK-NOE5	88	MM-CLE10	86	MO-CO200	57
MK-NPC62	83	MM-GRE10	86	MO-CO240	57
MK-NPC63	83	MM-LOA40	86	MO-CO280	57
MK-NPC64	83	MM-LOA50	86	MO-SO300	57
MK-NPK41	83	MM-LOC02	86	MO-SO350	57
MK-NPK42	83	MM-LOC11	86	MO-SO400	57
MK-NPK43	83	MM-PIN10	86	MT-00400	36
MK-NPK44	83	MM-RED10	86	MT-00500	36
MK-NPK61	83	MM-TIT10	86	MT-00600	36
MK-NPK62	84	MN-AN020	79	MT-BGP32	56
MK-NPK63	84	MN-AT101	79	MT-BGP37	56
MK-NPK64	84	MN-AT102	78	MT-BGP46	56
MK-SD01	49	MN-AT202	78	MT-BP320	56
MK-SDS06	55	MN-CP013	73	MT-BP370	56
MK-SDS(06-13)	55	MN-CPH13	73	MT-BP460	56
MK-SDS08	55	MN-FTB15	75	MT-BTI20	38
MK-SDS10	55	MN-FTB30	75	MT-BTT28	46
MK-SDS11	55	MN-GP010	74	MT-BTT32	46
MK-SDS13	55	MN-GP100	67	MT-BTT40	46
MK-SLC1	85	MN-GPC10	74	MT-BTT45	46
MK-SLC2	85	MN-I0330	66	MT-BTT50	47

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MT-CLR21	59	MT-LOC10	61	MT-RDS30	59
MT-CS330	35	MT-LOC10	86	MT-RDS30	89
MT-CS375	35	MT-LOC11	87	MT-RE160	60
MT-CS420	35	MT-LRH20	37	MT-RE172	60
MT-CS500	35	MT-LRH20	44	MT-RI030	39
MT-CSN33	35	MT-LRH20	47	MT-RI030	52
MT-CSN33	44	MT-LRH20	52	MT-RI030	58
MT-CSN33	51	MT-LRH20	58	MT-RI030	98
MT-DE001	39	MT-LRH21	37	MT-RI040	42
MT-DE001	44	MT-LRH21	44	MT-RI040	61
MT-DE001	47	MT-LRH21	47	MT-RMR10	44
MT-DE001	51	MT-LRH21	51	MT-RMR10	47
MT-ELM10	42	MT-MFXGS	39	MT-RMR10	52
MT-ELR10	42	MT-MSD20	41	MT-RSD19	41
MT-ELR10	61	MT-MSD20	61	MT-RSD19	60
MT-ESM10	42	MT-MUML2	41	MT-RSD19	86
MT-ESR10	42	MT-MUML2	60	MT-RSD24	42
MT-ETD24	53	MT-MUML2	72	MT-RSD24	60
MT-ETD28	53	MT-MUMS2	41	MT-RSD24	87
MT-ETD32	53	MT-MUMS2	72	MT-RT070	39
MT-ETD38	53	MT-MURL2	41	MT-RT070	44
MT-GDN33	35	MT-MURL2	60	MT-RT070	48
MT-GDN33	44	MT-MURL2	72	MT-SM005	39
MT-GDN33	47	MT-MURS2	41	MT-SM005	40
MT-GDN33	51	MT-MURS2	72	MT-SM005	59
MT-GDN50	35	MT-PD440	34	MT-SMD10	34
MT-GDN50	44	MT-PDM24	43	MT-SMD10	45
MT-GDN50	47	MT-PP240	39	MT-SMD10	50
MT-GDN50	51	MT-PP240	47	MT-SMD10	58
MT-HLI10	37	MT-PP240	51	MT-SRA10	39
MT-HLI10	44	MT-RA480	39	MT-SRH20	37
MT-HLI10	47	MT-RA480	42	MT-SRH20	47
MT-HLI10	51	MT-RA480	98	MT-SRH20	52
MT-HLI10	58	MT-RB225	41	MT-SRH20	58
MT-HLI21	37	MT-RB225	60	MT-SRH21	37
MT-HLI21	44	MT-RB225	91	MT-TD110	34
MT-HLI21	47	MT-RDE30	38	MT-TDI28	32
MT-HSI10	37	MT-RDE30	41	MT-TDI32	32
MT-HSI10	47	MT-RDL30	38	MT-TDI38	32
MT-HSI10	51	MT-RDL30	41	MT-TDI40	32
MT-HSI10	58	MT-RDL30	44	MT-TDI45	33
MT-HSI21	37	MT-RDL30	48	MT-TDI50	33
MT-HTS10	41	MT-RDL30	52	MT-TDI55	33
MT-IT100	40	MT-RDL30	59	MT-TDN19	34
MT-LBT24	53	MT-RDL30	72	MT-TDN19	43
MT-LBT28	53	MT-RDL30	89	MT-TDN19	45
MT-LBT32	53	MT-RDL30	98	MT-TDN19	50
MT-LBT38	53	MT-RDM30	39	MT-TDN28	31
MT-LM005	39	MT-RDM30	41	MT-TDN28	50
MT-LM005	40	MT-RDS30	39	MT-TDN32	31
MT-LM005	51	MT-RDS30	41	MT-TDN32	50
MT-LM005	59	MT-RDS30	44	MT-TDN38	31
MT-LOC10	42	MT-RDS30	48	MT-TDN38	51

Cat. No.	Page	Cat. No.	Page
MT-TDN45	31	MW-GPC10	74
MT-TDN45	51	MW-IO470	66
MT-TDN50	31	MW-IC800	84
MT-TDN50	51	MW-IO551	66
MT-TDN55	31	MW-IT100	66
MT-TDN55	51	MW-IT300	67
MT-TDT28	30	MW-ITC30	66
MT-TDT28	46	MW-MAC10	81
MT-TDT28	49	MW-MAN10	77
MT-TDT32	30	MW-MC102	81
MT-TDT32	46	MW-P0010	79
MT-TDT32	49	MW-P1510	79
MT-TDT40	30	MW-PF550	67
MT-TDT40	46	MW-RSM10	67
MT-TDT40	49	MW-RSM60	84
MT-TDT45	30	MW-SP102	76
MT-TDT45	46	MW-TB001	75
MT-TDT45	49	MW-TB002	75
MT-TDT50	30	MW-TBC15	75
MT-TDT50	46	MW-TBC30	75
MT-TP500	39	MW-TC013	69
MT-UN002	60	MW-TC023	68
MT-US002	60	MW-TC033	68
MT-UW002	60	MW-TCH13	69
MU-BGC48	71	MW-TCH23	68
MU-CC480	71	MW-TCH33	68
MU-CC481	71	MW-TPA10	69
MU-CP048	71	MW-TPA12	69
MU-G0220	72	MW-TPH50	69
MU-H4480	71	MW-WMAC1	81
MU-IO480	71		
MU-IT480	71		
MU-MAN10	72		
MU-MAN10	77		
MU-MG480	72		
MU-RSM48	71		
MU-S0220	72		
MU-SP102	72		
MU-SP102	76		
MU-TO480	72		
MW-AN151	79		
MW-AT152	78		
MW-B1500	90		
MW-B3500	90		
MW-B5500	90		
MW-CP013	73		
MW-CP060	73		
MW-CPH13	73		
MW-CPH60	73		
MW-CTP10	81		
MW-FTB15	75		
MW-FTB30	75		
MW-GP010	74		



OE-IC001	89
OE-IC002	89
OE-MH001	89
OE-RCB01	89
OE-RCP01	89
OE-RCV01	89
OE-RCW01	89
OE-RCY01	89
OE-RSM60	89

A 3D printed template, which is a clear, open-frame structure, is shown holding a surgical drill bit. The drill bit is a metallic, cylindrical tool with a sharp tip. The template is designed to hold the drill bit in a specific position. In the background, a hand is visible, holding the template. The entire scene is set against a solid blue background. The text "PERFECT MATCH" is written in a light blue, sans-serif font in the upper right corner.

PERFECT
MATCH

MIS[®]
MGUIDE

DESIGNED FOR ACCURACY. **MAKE IT SIMPLE**

The 3D printed template is designed with an open-frame for maximum visibility, irrigation and accessibility from all angles without the need for removal. MGUIDE is a keyless system, designed for single handed procedures, eliminating the need for unnecessary tools. Learn more about MIS at : www.mis-implants.com

